## Amendments

S.no	Page	Section	Sub-Section	Existing Clause	Amended Clause
					Certification and compliance (as on date of bid submission):
					Microsoft Windows Server and Hyper-V: OEM Should have certification for Windows Servers 2016 and later versions.
					VMWare:
					OFM Should have postification for VMM are Foul 6.7 and later versions
1	Pg.60	Technical Specifications for Server Type 1 (2x32) - Rack Server	OS Support	Windows Server 2022 or Latest Windows Server Operating System, SUSE Enterprise Linux 10 and Higher, RHEL Linux 9 and higher, VMWARE ESXi latest edition	Red Hat-Enterprise Linux (RHEL):
		Type T (2x02) - Nack Gerver		Elitax 3 and higher, Vivivante Edviriates edition	OEM Should have certification for RHEL 7.9 and higher versions.
					For Red hat OpenShift container platform 4.8-4.12 and 4.13-4.X should be supported.
					(Documentary proof should be attached).
2	Pg.61	Technical Specifications for Server	End of life	The proposed Hardware and Software generation should be less than one year from the date of RFP submission and the proposed Hardware and Software should not become End of Sales for two years from the date of the	The proposed Hardware and Software generation should be aged less than one year from the date of RFP submission and the proposed Hardware should not become End of Sales for One year from the date of the submission of the RFP and End of Life for 6
-	. g.o.	Type 1 (2x32) - Rack Server	Life of life	submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.	years from the date of the submission of the RFP.
				·	Certification and compliance (as on date of bid submission):
					Microsoft Windows Server and Hyper-V: OEM Should have certification for Windows Servers 2016 and later versions.
				Windows Server 2022 or Latest Windows Server Operating System, SUSE Enterprise Linux 10 and Higher, RHEL Linux 9 and higher, VMWARE ESXI latest edition	VMWare:
		Technical Specifications for Server			OEM Should have certification for VMWare Esxi 6.7 and later versions.
3	Pg.63	Type 2 (1x32) - Rack Server	OS Support		Red Hat-Enterprise Linux (RHEL):  OEM Should have certification for RHEL 7.9 and higher versions.
					OEM Should have certification for RHEL 7.9 and higher versions.
					For Red hat OpenShift container platform 4.8-4.12 and 4.13-4.X should be supported.
					(Documentary proof should be attached).
					(Documentary proof should be attached).
				The proposed Hardware and Software generation should be less than one year from the date of RFP submission	The proposed Hardware and Software generation should be aged less than one year from the date of RFP submission and the
4	Pg.64	Technical Specifications for Server Type 2 (1x32) - Rack Server	End of life	and the proposed Hardware and Software should not become End of Sales for two years from the date of the	proposed Hardware should not become End of Sales for One year from the date of the submission of the RFP and End of Life for 6
		Type 2 (1X32) = Nack Server		submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.	years from the date of the submission of the RFP.
					Certification and compliance (as on date of bid submission):
					Microsoft Windows Server and Hyper-V: OEM Should have certification for Windows Servers 2016 and later versions.
					minosoft Windows delver and Typer-V. Delm chould have definication for Windows delvers 20 for and later versions.
					VMWare:
5	Pg.66	Technical Specifications for Server	OS Support	Windows Server 2022 or Latest Windows Server Operating System, SUSE Enterprise Linux 10 and Higher, RHEL	OEM Should have certification for VMWare Esxi 6.7 and later versions.  Red Hat-Enterprise Linux (RHEL):
	1 g.00	Type 3 (1x8) - Rack Server	ОЗ Зирроп	Linux 9 and higher, VMWARE ESXi latest edition	OEM Should have certification for RHEL 7.9 and higher versions.
					For Red hat OpenShift container platform 4.8-4.12 and 4.13-4.X should be supported.
					(Documentary proof should be attached).
		Technical Specifications for Server		The proposed Hardware and Software generation should be less than one year from the date of RFP submission	The proposed Hardware and Software generation should be aged less than one year from the date of RFP submission and the
6	Pg.67	Type 3 (1x8) - Rack Server	End of life	and the proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.	proposed Hardware should not become End of Sales for One year from the date of the submission of the RFP and End of Life for 6 years from the date of the submission of the RFP.
				Minimum 48 ports support 1/10/25 Gbps SFP ports for host connectivity and 6*100G ports for Fabric/Spine	·
	D 70		Hardware and Interface	connectivity. The proposed switch should support native 25G and should be populated with 48*10G Multimode	Minimum 48 ports support 1/10 Gbps SFP ports with multimode fiber transceivers for host connectivity and 6*40/100G ports for
7	Pg.76	TOR Switch	requirement	Fiber trans-receivers for downlink connectivity & 6*100G ports with multimode 100G Transceivers, for uplink	Uplink must be available. The proposed switch should be populated with 30*1/10G Multimode Fiber trans-receivers for downlink connectivity & 6*40/100G ports with multimode fiber Transceivers, for uplink connectivity on day 1
			Performance	connectivity.	
8	Pg.76	TOR Switch	Requirement	The switch should support 1.0 Million IPv4 LPM routes.	The switch should support above 1 Lakh IPV4 unicast Routes
9	Pg.76	TOR Switch	Performance	The Switch should support intelligent buffer management with a minimum buffer of 38 MB.	The Switch should support intelligent buffer management with a minimum buffer of 32 MB
			Requirement Performance		
10	Pg.76	TOR Switch	Requirement	The switch should support 8K multicast routes	The switch should support 7K multicast routes
11	Pg.76	TOR Switch	Performance	Switch should support 64 nos of ECMP paths	Switch should support miniumum of 8 nos of ECMP paths
			Requirement Performance	., .	· · · · · · · · · · · · · · · · · · ·
12	Pg.76	TOR Switch	Requirement	Switch should support minimum 1 Tbps of switching capacity	Switch should support minimum 3 Tbps of switching capacity
13	Pg.77	TOR Switch	Network Virtualization	The switching solution must integrate with different virtual machine manager viz. Vmware vCenter, Microsoft Hyper-	
13	1 9.77	TON SWILCH	Features	V with System Center, Kubernetes, Redhat Openshift and manage virtualise networking from the single pane of Glass	Center, Kubernetes, Redhat Openshift and manage virtualise networking from the single pane of Glass or API based intergation should be supported by the Switch solution.
14	Pg.76	TOR Switch	Layer2 Features	Maximum number of port channels should be 500	Minimum number of port channels should be 128
15	Pg.77	TOR Switch	Layer2 Features	Maximum no of ports in the port channel should be 32	Minimum no of ports in the port channel should be 16
16	Pg.77	TOR Switch	Layer2 Features	The switch should support BGP EVPN Route Type 2, Type 4 and Route Type 5 for the overlay control plane	The switch should support open standard MP-BGP, EVPN Route Type 2 and Route Type 5 for the overlay control plane and should not be restricted to any proprietory protocols
17	Pg.80	TOR Switch	Miscellaneous points	Stacking / VPC - (Active / Active HA) must be support for interconnecting more than 1 switch wherever required	Active-Active (HA) cluster VPC / MLAG Functionality with dual control plane Deployment
<u> </u>	3.22				
1	D 00	TOD Outst		The proposed Hardware and Software generation should be less than one year from the date of RFP submission	The proposed Hardware and Software generation should be aged less than one year from the date of RFP submission and the
18	Pg.80	TOR Switch	Miscellaneous points	and the proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.	proposed Hardware and Software should not become End of Sales for One year from the date of the submission of the RFP and End of Life for 6 years from the date of the submission of the RFP.
					Microsoft Windows Data Centre Edition (2022 or latest with support for n-2 downgradability at no additional cost) with SA and
19	Pg.87	Part II	Commercial Bid	Microsoft Windows Data Centre Edition with SA (with 3 years ATS) with corresponding CAL licenses	wicrosoft windows Data Centre Edition (2022 or latest with support for n-2 downgradability at no additional cost,) with SA and corresponding User-CAL licenses- 1200 nos (along with 3 years ATS)
20	Pg.87	Part II	Commercial Bid	VMWARE vCloud Suite Standard - Perpetual (with 5 year ATS)	VMware VCF 5 with VMware Firewall (per core based - 3 years subscription)
21	Pg.87	Part II	Commercial Bid	VMWARE - vCentre (with 5 year ATS)	VMware VCF 5 with VMware Firewall (per core based - 3 years subscription)
22	Pg.87	Part II	Commercial Bid	VMWARE - SRM Standard Replication license (pack of 25 VMs) (with 5 year ATS)  RHFL Virtual DC - Premium (Socket Pair Licensing) (Fach Oty entitles Bank to run unlimited RHFL VMs on the 2	VMware Site Recovery Manager Enterprise (pack of 25 VMs - 3 years subscription) - 3 nos  RHEL Virtual DC - Premium with Smart Management (Socket Pair Licensing) (Each Qty entitles Bank to run unlimited RHEL VMs on
23	Pg.87	Part II	Commercial Bid	CPU based server).16 (8 at DC, Chennai and 8 at DR, Hyderabad)	the 2 CPU based server).16 (8 at DC, Chennai and 8 at DR, Hyderabad)

Page of the common and the common an					Prices of below mentioned IT equipment will be arrived through Reverse Auction by the Bank and the Base price	
Pagent Term    Pagent Term   P					thus arrived will be fixed for entire contract period of 5 years:	
Page 1 Pa						
Page of Transport Transp					iii. TOR Switch	II. SAN Switch - 5 years iii TOR Switch - 5 years
# Payment Tenne    Payment Tenne   Control of Special Control of Speci	24	Pg.35	Payment Terms			iv. Racks - 5 years
## A Public Country System House, a Pressure Suppose Assessment Control Country System House, and Francisco Country System House, and Francisco Country System House, and Francisco Country of Public Country of Household System House, and the public Country of Household System House			,			v. VMWare VCF with VMware Firewall- 3 years
Page					vii. VMWare SRM Replication pack	vi. VMWare SRM Enterprise (Pack of 25 VMs) - 3 years
Pagent Terms  Pagent Annual Policy of all the Applications of Pagent Annual Policy of all the Applications of the Color of						viii. Windows server Data Center edition (latest) with CAL 3 years
Public   P					ix. Windows server Data Center edition (latest) with CAL.	, , , , , , , , , , , , , , , , , , ,
Explain   Expl					Deliverables Payment Terms Payment Amount	Deliverables Payment Terms Payment Amount
## Septical Properties and Sep						Delivery of all the Applicances / Delivery of Hardware / Applicances and 70% of [A]
Page					Appliances/ Hardware   Software/ Licenses and deployment of FM   20 % of [E]	
Payment Tens  Pa						
Page 1 Pa					Installation and Post successful Implementation and after 50% of [B]	
Page 10 Page 1						
Page					Devices and Go- Live 3 months after Sign-off 50% of [B]	
Post						Installation and Integration of all after Sign-off 20% of [E]
Services	25	Pg.36	Payment Terms		Facility Management Shall be paid quarterly-in arrears on	Devices and Go-Live of solution
- The remaining payment for the hardware and software licenses will be released in the submitment of 19 year.  - 20 Not of [5] at the beginning of 29 year 20 Not of [5] at the beginning of 29 year 20 Not of [6] at the beginning of 29 year.		-				
Page					documents	
Formation of the Segment of Privace   Security Management services (\$\text{D}\$ (bottomers)						
20% of [5] at the beginning of 5° year. 20% of [5] at the beginning of 5° year. 20% of [6] at the beginning of 5° year. 20% of						
20 Pg.37 Project Misstone and Trinsine  21 Pg.38 Project Misstone and Trinsine  22 Pg.31 Society of Facility Management  23 Pg.32 Society of Facility Management  24 Pg.32 Society of Facility Management  25 Pg.32 Society of Facility Management  26 Pg.32 Society of Facility Management  27 Pg.31 Society of Facility Management  28 Pg.32 Society of Facility Management  29 Pg.32 Society of Facility Management  20 Pg.32 Society of Facility Management  21 Pg.32 Society of Facility Management  22 Pg.33 Society of Facility Management  23 Pg.34 Society of Facility Management  24 Pg.35 Society of Facility Management  25 Society of Facility Management  26 Society of Facility Management  27 Pg.35 Society of Facility Management  28 Pg.36 Society of Facility Management  29 Pg.37 Society of Facility Management  20 Pg.37 Society of Facility Management  20 Pg.38 Society of Facility Management  20 Pg.30 Society of Facility Management  20 Pg.31 Society Management  20 Pg.32 Society Management  20 Pg.32 Society of Facility Management  20 Pg.32 Society Management  20 Pg.32 Society Management  20 Pg.33 Society Management  20 Pg.34 Society Management  20 Pg.35 Society Management  20 Pg.36 Society Management  20 Pg.37 Pg.36 Society Management  20 Pg.37 Pg.37 Society Management  20 Pg.38 Society Management  20 Pg.38 Society Management  20 Pg.30 Society Management  20 Pg.30 Pg.30 Society Management  2						Facility Management Services (F) documents
20 Pg 37 Project Milestore and Timeline  Delivery of Software  Except of Facility Management Services  Pg 37 Project Milestore and Timeline  Delivery of Software  Responsibilities of Sorvices  Responsibilities of Sorvices of Sorvices and Sorvices of Sorvices of Sorvices of Sorvices of Sorvices and Sorvices of Sorvice						T ·
Delary of Software  Delary					<ul> <li>20% of [E] at the beginning of 4<sup>th</sup> year.</li> </ul>	The remaining payment for the software licenses will be released in the following manner:
Pg 37 Poject Malestone and Timeline Delivery of Software as guoded in the bild at both the size (Channel & Pytylanchod) should not delivery of Software control of the Malestone and Change and the Chang					○ 20% of [E] at the beginning of 5 <sup>th</sup> year.	10% of [E] at the beginning of the 4th year
Pg 37 Pig 38 Pig 48 Pg 36 Pg 36 Pg 37 Pg 36 Pg 36 Pg 37 Pg 36 Pg 37 Pg 36 Pg 37 Pg 37 Pg 37 Pg 38 Pg 38 Pg 36 Pg 37 Pg 37 Pg 38 Pg 38 Pg 38 Pg 37 Pg 38 Pg 3						
concept of project Messation and Finestines and Limited Services 2  Pg. 32  Pg. 32  Pg. 32  Pg. 32  Pg. 35  Shope of Facility Management is required for 9 am to 6 pm and days (986 days in Loop year) months/reg.  Shope of Facility Management is required for 9 am to 6 pm and days (986 days in Loop year) months/reg.  Shope of Facility Management is required for 9 am to 6 pm and days (986 days in Loop year) months/reg.  Shop of Facility Management is required for 9 am to 6 pm and days (986 days in Loop year) months/reg.  Shop of Facility Management is required for 9 am to 6 pm and days (986 days in Loop year) months/reg.  The proposed Hardware and Shophese generation should be less than one year from the day of PRP administration of the PRP						
Scope of Facility Management Reportables of Inchigen Section Section 1 (1) and the sealable from (2 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (2 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (2 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (2 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of Bank's DC, Chemia and DR, Hyderandar who will be waited from (3 min to § part of all days each of bank beautiful to § part of all days each of bank beautiful to § part of all days each of bank beautiful to § part of all days each of bank beautifu	26	Pg.37	Project Milestone and Timeline	Delivery of Software	Total time for Delivery of Software as quoted in the bid at both the sites (Chennai & Hyderabad) should not	Software as quoted in the bid at both the sites (DC-Chennai & DR-Hyderabad) should be delivered after completion of BOM
since of Bank's DC, Chemical and PDR. Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR. Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR. Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR Hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to d		J -	,		exceed One (1) Weeks from the date of Delivery Instruction which will be issued post issuance of PO.	verification and Power-On Self Test (POST) of the hardware and within One (1) week on the completion of the same.
since of Bank's DC, Chemical and PDR. Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR. Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR. Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR Hyderstead who will be working Bank's IT Team on day to dy basis for flam's DC, Chemical and PDR Hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to dy basis for hyderstead who will be working Bank's IT Team on day to d					4. The blitter to Declar On the Feet conservation with a south to feet (0 and 0 and	A The blidde to Double On the Francisco to the state of t
Services Management Contract Resources Individues and software management.  1 Facility management in required for 3 are 16 pm of all gold gold pay in Leep year) monitoring.  2 Pg 81 SAN Souths - Technical Specifications  3 Pg 81 SAN Souths - Technical Specifications  3 Pg 93 Recommendations of the Pg 94 pm of all facility of the pay of the	27	Pg.31				
Services on the resources of the proposed functions of a similar of pin a subject of the similar		J -				
Architectures Cashibility Pg.81 SAN Switch - Technical Specifications Pg.82 SAN Switch - Technical Specifications Pg.83 SAN Switch - Technical Specifications Pg.84 Miscone and Timeline Debug of Hardware for Initial Purchase Since Initi	28	Pg.32			1. Facility management is required for 9 am to 6 pm all days (366 days in Leap year) monitoring.	Facility management is required for 9 am to 6 pm on all Bank working days.
SAM Swifth - Technical Specifications  Pg 81 SAM Swifth - Technical Specifications  Pg 82 Pg 26 Eighilty Criteria  Eighilty Criteria  Eighilty Criteria  Eighilty Criteria  Eighilty Criteria  Find Part Control Control Part Part Part Control Control Part Part Part Part Part Part Part Part						
SAN Switch - Technical Specifications  Pg 81 SAN Switch - Technical Specifications  Pg 82 Project Milestone and Timeler  Pg 83 Project Milestone and Timeler  Pg 84 Eligibility Criteria  Eligibility	29	Pg.81		Performance/Managem	10. The switch shall provide Aggregate bandwidth of 768 Gbit/sec end to end	10. The switch shall provide a minimum Aggregate bandwidth of 768 Gbit/sec end to end
9 Pg 81 SN-Wellor Lifections Specifications Specification Specifications Specification Sp			Оресписасота	ent/Availability:		
submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.    Submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.   Total time for Delivery of Hardware as quoted in the bid at both the sates (Chennal & Hyderabad) should not exceed from the date of PC.   Total time for Delivery of Hardware as quoted in the bid at both the sates (Chennal & Hyderabad) should not exceed from the date of PC.   Total time for Delivery of Hardware as quoted in the bid at both the sates (Chennal & Hyderabad) should not exceed from the date of PC.   The bidder should have successfully installed and maintained VMware Cloud solution (by utilizing Essi/Cloud States (Chennal & Hyderabad) should not exceed the proposed should have successfully installed and maintained VMware Cloud solution (by utilizing Essi/Cloud States (Chennal & Hyderabad) should not exceed the proposed should have successfully installed and maintained VMware Cloud solution (by utilizing Essi/Cloud States (Chennal & Hyderabad) should not exceed the proposed should have successfully installed and maintained VMware Cloud solution (by utilizing Essi/Cloud States (Chennal & Hyderabad) should have successfully installed and maintained VMware Cloud solution (by utilizing Essi/Cloud States (Chennal & Hyderabad) should have successfully installed and maintained VMware Cloud solution (by utilizing Essi/Cloud States (Chennal & Hyderabad) should have successfully installed and maintained VMware Cloud solution (by utilizing Essi/Cloud States (Chennal & Hyderabad) should with the bidder should have successfully installed and maintained VMware Cloud solution (by utilizing Essi/Cloud States (Chennal & Hyderabad) should have supplied full-time resident engine for supplied the solution. The bidder should have a year by turnove of Rs. 60 Crores in India for altered solution (by utilizing Essi/Cloud States should have supplied full-time resident engined for solution (by utilizing Essi/Cloud States should not be com	00	D.: 04	SAN Switch - Technical			The proposed Hardware and Software generation should be aged less than one year from the date of RFP submission and the
Pg 36 Project Milestone and Timeline Ori hillarl Putchess for initial Putchess for initial Putchess for initial Putchess Six (B) Weeks from the date of PD.  23 Pg 26 Eligibility Criteria Bidder Bidder  24 Eligibility Criteria Bidder  25 Eligibility Criteria Bidder  26 Eligibility Criteria Bidder  26 Eligibility Criteria Bidder  27 Pg 26 Eligibility Criteria Bidder  28 Eligibility Criteria Bidder  28 Eligibility Criteria Bidder  29 Eligibility Criteria Bidder  29 Eligibility Criteria Bidder  20 Eligibility	30	Pg.81	Specifications	Miscellaneous Points		
Pg 36 Project Milestone and Timeline Order:    Pg 36 Project Milestone and Timeline Order:				Dollyony of Hardwara	· · · · · · · · · · · · · · · · · · ·	·
Pg 26 Eligibility Criteria of Bidder and Pg 26 Eligibility Criteria of Bidder	31	Pg.36	Project Milestone and Timeline			Total time for Delivery of Hardware as quoted in the bid at both the sites (Chennai & Hyderabad) should not exceed Eight (8) Weeks
Sulter/Spherey with a minimum of 300 Virtual Machines deployed and managed at Customer's DC and DR in Indian Market in the last 5 years 2019, 2020, 2021, 2022 and 2020 for an immimum of 3 PSU Bank or Scheduled Commercial Bank, NBFC, Insurance Company, PSU, Private Organization in India, and should have supplied full-lime resident engine for supporting the solution.  The blidder should have supplied full-lime resident engines of the solution.  The blidder should have supplied full-lime resident engines of the solution of the solution of the solution.  The blidder should have a yearly turnover of Rs. 100 Cross in India for atleast 3 out of last 5 financial statements. Blidder should provide audited Profit & Loss Statement along with auditor (Chartered Accountant certificate.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission of the RFP.  The blidder should have supplied full-lime resident engines of the submission				Order:		
Pg.26   Eligibility Criteria   Didder					<ul> <li>The bloder should have successfully installed and maintained viviware cloud solution (by utilizing Esxi/vcloud Suite/vSphere) with a minimum of 300 Virtual Machines deployed and managed at Customer's DC and DR in</li> </ul>	in the bloder should have successfully installed and maintained viniware Cloud solution (by utilizing EsxivCloud Suite/vSphere) with a minimum of 300 Virtual Machines (cumulatively across 3 organizations' DC/DR) deployed and managed at Customer's DC/DR in
Commercial Bank, NEFC, Insurance Company, PSU, Private Organization in India, and should have supplied full— the resident engineer for supporting the solution  The bidder should have a yearly furnover of Rs. 160 Crores in India for atleast 3 out of last 5 financial years 200-2021; 2021-2022, 2002-2023 as per the audited Financial Statements. Bidder should have a yearly furnover of Rs. 160 Crores in India for atleast 3 out of last 5 financial years 200-2021; 2021-2022, 2002-2023 as per the audited Financial Statements. Bidder should have a yearly furnover of Rs. 160 Crores in India for atleast 3 out of last 5 financial years 200-2021; 2021-2022, 2022-2023 as per the audited Financial Statements. Bidder should have a yearly furnover of Rs. 160 Crores in India for atleast 3 out of last 5 financial years 200-2021; 2021-2022, 2022-2023 as per the audited Financial Statements. Bidder should have a yearly furnover of Rs. 160 Crores in India for atleast 3 out of last 5 financial years 200-2021; 2021-2022, 2022-2023 as per the audited Financial Years 200-2021; 2021-2022, 2022-2023 as per the audited Financial Years 200-2021; 2021-2022, 2022-2023 as per the audited Financial Years 200-2021; 2021-2022, 2022-2023 as per the audited Financial Years 200-2021; 2021-2022, 2022-2023 as per the audited Financial Years 200-2021; 2021-2022, 2022-2023 as per the audited Financial Years 200-2021; 2021-2022, 2022-2023 as per the audited Financial Years 200-2021; 2021-2022, 2022-2023 as per the audited Financial Years 200-2021; 2021-2022; 2022-2023 as per the audited Financial Years 200-2021; 2021-2022; 2022-2023 as per the audited Financial Years 200-2021; 2021-2022; 2022-2023 as per the audited Financial Years 200-2021; 2021-2022; 2022-2023 as per the audited Financial Years 200-2021; 2021-2022; 2022-2023 as per the audited Financial Years 200-2021; 2021-2022; 2022-2023 as per the audited Financial Years 2002-2021; 2021-2022; 2022-2023 as per the audited Financial Years 2002-2022; 2021-2022; 2022-2023 as per the audited Financial Ye	32	Pg.26	Eligibility Criteria		Indian Market in the last 5 years 2019, 2020, 2021, 2022 and 2023 for a minimum of 3 PSU Bank or Scheduled	Indian Market in the last 5 years 2019, 2020, 2021, 2022 and 2023 for a minimum of 3 PSU Bank or Scheduled Commercial Bank,
Pg. 26 Eligibility Criteria or Bidder should have a yearly turnover of Rs. 10 Corea in India for alteast 3 out of last 5 financial years 2018-19, 2019-20, 2020-2021, 2021-2022, 2022-2023 as per the audited Financial Statements. Bidder should provide audited Profit & Loss Statement along with auditor/ Chartered Accountant certificate.  The bidder should have a yearly turnover of Rs. 60 Corcea in India for alteast 3 out of last 5 financial years 2018-2022-2023 as per the audited Financial Statements. Bidder should provide audited Profit & Loss Statement along with auditor/ Chartered Accountant certificate.  The bidder should have a yearly turnover of Rs. 60 Corcea in India for alteast 3 out of last 5 financial years 2019-2022-2021, 2022-2023 as per the audited Profit & Loss Statements. Bidder should provide audited Profit & Loss Statement along with auditor/ Chartered Accountant certificate.  The bidder should have a yearly turnover of Rs. 60 Corces in India for alteast 3 out of last 5 financial years 2019-2022-2021, 2022-2023 as per the audited Financial Statements. Bidder should have a yearly turnover of Rs. 60 Corces in India for alteast 3 out of last 5 financial years 2019-2022-2021, 2022-2023 as per the audited Profit & Loss 2019-2022-2023 as per the audited Profit & Loss 2019-2022-2022-2023 as per the audited Profit & Loss 2019-2022-2021-2022 and 2				Bidder	Commercial Bank, NBFC, Insurance Company, PSU, Private Organization in India, and should have supplied full-	NBFC, Insurance Company, PSU, Private Organization in India, and should have supplied full-time resident engineer for supporting
Pg.80 Eligibility Criteria Displayers Cheeria of Bidder Displayers (2012-2012, 2012-2012						
Bidder provide audited Profit & Loss Statement along with auditor/ Chartered Accountant certificate.  The bidder should have successfully Installed and maintained VMware Cloud solution (by utilizing Esxiv/Cloud Sultion (by utilizing Esxiv/Cloud	22	D= 26	File White College	Eligibility Criteria for	The bidder should have a yearly turnover of Rs. 100 Crores in India for atleast 3 out of last 5 financial years	The bidder should have a yearly turnover of Rs. 60 Crores in India for atleast 3 out of last 5 financial years 2018-19, 2019-20,
The bidder should have successfully Installed and maintained VMware Cloud solution (by utilizing EswiVCloud Sutle/Sphere) with a minimum of 300 Virtual Machines deployed and managed at Customer's DC and DR in Indian Market in the last 5 years 2019, 2020, 2021, 2022 and 2023 for a minimum of 3 PSU Bank or Scheduled Commercial Bank, NBFC, Insurance Company, PSU, Private Organization in India, and should have successfully Installed and maintained VMware Cloud solution (by utilizing EswiVCloud Sutle/Sphere) with a minimum of 300 Virtual Machines (cumulatively across 3 organizations DC/DR) deployed and managed at Customer's DC and DR in Indian Market in the last 5 years 2019, 2022, 2022 and 2023 for a minimum of 3 PSU Bank or Scheduled Commercial Bank, NBFC, Insurance Company, PSU, Private Organization in India, and should have supplied full-time resident engine for supported and in eleter/Email from the institution quoting the period and nature of services provided along with reference contact details not less than AGM level. Details to furnished as per Annexure-XV  SAN Switch - Technical Specifications  Pg. 80 SAN Switch - Technical Specifications  Architecture/Scalability/Performance/Managem ent/Availability:  The bidder should have successfully Installed and maintained VMware Cloud solution (by utilizing EswiVCloud Suth managem and solution of provided and managed at Customer's DC and DR in Indian Market in the last 5 years 2019, 2022, 2022 and 2023 for a minimum of 3 PSU Bank or Scheduled Commercial Bank, NBFC, Insurance Company, PSU, Private Organization in India, and should have successfully Installed and maintained VMware Cloud solution in Market in the last 5 years 2019, 2022, 2022 and 2023 for a minimum of 3 PSU Bank or Scheduled Commercial Bank, NBFC, Insurance Company, PSU, Private Organization in India, and should have suppled full-time resident enging the service of the work. The Bidder should also furnish a letter/Email from the institution and letter/Email from the institution and letter/Email from t	33	Pg.26	Eligibility Criteria	Bidder		
Pg.114 Annexure VIII Checklist for RFP Checklist					·	, and the second
Pg.114 Annexure VIII Checklist for RFP Checklist						The bidder should have successfully Installed and maintained VMware Cloud solution (by utilizing Esxi/vCloud Suite/vSphere) with a
Annexure VIII  Annexu					Indian Market in the last 5 years 2019, 2020, 2021, 2022 and 2023 for a minimum of 3 PSU Bank or Scheduled	minimum of 300 Virtual Machines (cumulatively across 3 organizations: DC/DR) deployed and managed at Customer's DC/DR in Indian Markat in the last 5 years 2014, 2020, 2021, 2022 and 2023 for a minimum of 3, DS/LI Bank or Schadulad Commercial Bank
of the work. The Bidder should also furnish a letter/Email from the institution quoting the period and nature of services provided along with reference contact details not less than AGM level. Details to furnished as per Annexure-XV  SAN Switch - Technical Specifications  Pg.80  SAN Switch - Technical Specifications  Pg.60  Technical Specification for Server Type 1 (2x32) – Blade server  The proposed Hardware and Software generation should be less than one year from the date of the submission of the RFP.  The proposed Hardware and Software generation should be less than one year from the date of the submission of the RFP.  The proposed Hardware and Software generation should be less than one year from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Life for 7 years from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for One year from the date of the submission of the RFP.  The proposed Hardware and Software should be less than one year from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for One year from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for One year from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for One year from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales fo	34	Pg.114	Annexure VIII	Checklist for RFP		NBFC, Insurance Company, PSU, Private Organization in India, and should have supplied full-time resident engineer for supporting
services provided along with reference contact details not less than AGM level. Details to furnished as per Annexure-XV  SAN Switch - Technical Specifications  Pg.80  SAN Switch - Technical Specifications  Architecture/Scalability/Performance/Managem ent/Availability:  The proposed Hardware and Software generation should be less than one year from the date of the submission of the RFP.  Technical Specification for Server Type 1 (2x32) - Blade server  Technical Specification for Server Type 2 (1x32) - Blade server  The proposed Hardware and Software generation should be less than one year from the date of the submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.  The proposed Hardware and Software and Software generation should be less than one year from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Life for 7 years from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Life for 7 years from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Life for 7 years from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Life for 7 years from the date of the submission of the RFP.  The proposed Hardware and Software should be less than one year from the date of the submission of the RFP.  The proposed Hardware and Software should be less than one year from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RF		-			of the work. The Ridder should also furnish a letter/Fmail from the institution quoting the period and nature of	the solution. A Self Declaration as per Annexure-XV and / or Certificate of completion of the work to be submitted. The Bidder
Architecture/Scalability Performance/Managem ent/Availability:  Technical Specification for Server Type 1 (2x32) – Blade server  Technical Specification for Server Type 2 (1x32) – Blade server  The proposed Hardware and Software generation should be less than one year from the date of the Submission of the RFP and End of Life  The proposed Hardware and Software should not become End of Sales for two years from the date of the Submission of the RFP.  The proposed Hardware and Software and Software should not become End of Sales for two years from the date of the Submission of the RFP.  The proposed Hardware and Software should be less than one year from the date of the Submission of the RFP and End of Life  The proposed Hardware and Software should not become End of Sales for two years from the date of the Submission of the RFP.  The proposed Hardware and Software should be less than one year from the date of the Submission of the RFP submission and the proposed Hardware and Software should be less than one year from the date of the Submission of the RFP.  The proposed Hardware should be less than one year from the date of the Submission of the RFP.  The proposed Hardware should be less than one year from the date of the Submission of the RFP.  The proposed Hardware should be less than one year from the date of the Submission of the RFP.  The proposed Hardware should be less than one year from the date of the Submission of the RFP.  The proposed Hardware should be aged less than one year from the date of the Submission of the RFP.  The proposed Hardware should be aged less than one year from the date of the Submission of the RFP.  The proposed Hardware should be aged less than one year from the date of the Submission of the RFP.  The proposed Hardware and Software should be less than one year from the date of the Submission of the RFP.  The proposed Hardware and Software should not become End of Sales for One year from the date of the Submission of the RFP.  The proposed Hardware and Software should not become E						
Pg.80 SAN Switch - Technical Specifications Performance/Managem ent/Availability:  Offered SAN Switch shall support less than 900 nanosecond for port to port latency with no contention.  The Offered SAN Switch shall support less than or equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than or equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than or equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than or equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than or equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than or equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than or equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than or equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than or equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than or equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than one equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than one equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than one equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than one equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than one equal to 2.5 micro second for port to port latency using store a The Offered SAN Switch shall support less than one equal from the date of the submission of the RFP and End of Life and the propo					Annexure-XV	Contact details not less than AGM level. Details to lumished as per Annexule-AV
Pg.80 SNA Switch - Technical Specifications  Pg.69 Technical Specification for Server Type 1 (2x32) – Blade server  Technical Specification for Server Type 2 (1x32) – Blade server  Technical Specification for Server Type 2 (1x32) – Blade server  Technical Specification for Server Type 2 (1x32) – Blade server  Technical Specification for Server Type 2 (1x32) – Blade server  Technical Specification for Server Type 2 (1x32) – Blade server  Technical Specification for Server Type 2 (1x32) – Blade server  The proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP.  The proposed Hardware and Software should be less than one year from the date of the submission of the RFP.  The proposed Hardware should be aged less than one year from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP.  The proposed Hardware should be aged less than one year from the date of the submission of the RFP.  The proposed Hardware should not become End of Sales for two years from the date of the submission of the RFP.  The proposed Hardware should be aged less than one year from the date of the submission of the RFP.  The proposed Hardware should be aged less than one year from the date of the submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.  The proposed Hardware should be aged less than one year from the date of the submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.  The proposed Hardware should be aged less than one year from the date of the submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.  The proposed Hardware should be aged less than one year from the date of the submission of the RFP and End of Life for 7 years from the date of the submission of the RFP and End of Life for 7 years from the date of the submission of the RFP and End o			04110-1-1-7	Architecture/Scalability/		Offered SAN Switch shall support less than 900 nanosecond for port to port latency using cut through switching
Technical Specification for Server Type 1 (2x32) – Blade server  Technical Specification for Server Type 2 (1x32) – Blade server  Technical Specification for Server Type 2 (1x32) – Blade server  Technical Specification for Server Type 2 (1x32) – Blade server  Technical Specification for Server Type 2 (1x32) – Blade server  The proposed Hardware and Software generation should be less than one year from the date of the submission of the RFP and End of Life  The proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP and End of Life  The proposed Hardware and Software should be less than one year from the date of the submission of the RFP.  The proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP.  The proposed Hardware should be aged less than one year from the date of the submission and the proposed Hardware should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years fro	35	Pg.80		Performance/Managem	Offered SAN Switch shall support less than 900 nanosecond for port to port latency with no contention.	
Pg.69 Pg.69 Type 1 (2/32) — Blade server Type 1 (2/32) — Blade server Type 2 (1/32) — Blade server Type				ent/Availability:		The second secon
Pg.69 Pg.69 Type 1 (2/32) — Blade server Type 1 (2/32) — Blade server Type 2 (1/32) — Blade server Type					The present Hardware and Cofficers reposition should be been the second of the second	The second Headers should be seed been then see up from the date (OPS sets to be seed to see a second seed to see a second second see a second see a second s
Type 1 (2x32) – Blade server  submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.  The proposed Hardware and Software generation should be less than one year from the date of RFP submission and the proposed Hardware should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for One year from the date of the submission of the RFP.  The proposed Hardware and Software should be less than one year from the date of the Software should not become End of Sales for One year from the date of the Software should be aged less than one year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the da	36	Pa.69		End of Life		
37 Pg.70 Type 2 (1x32) – Blade server End of Life and the proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP and End of Life submission of the RFP and End of Life or 7 years from the date of the submission of the RFP.  38 Pg.71 Technical Specification for Server and Software should not become End of Sales for two years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission and the proposed Hardware and Software should not become End of Sales for two years from the date of the submission and the proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the submission of the RFP and End of Life or 8 years from the date of the subm	50   Fg.65		Type 1 (2x32) – Blade server	End of Life	submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.	the date of the submission of the RFP.
37 Pg.70 Type 2 (1x32) – Blade server End of Life and the proposed Hardware and Software should not become End of Sales for two years from the date of the submission of the RFP and End of Life or 7 years from the date of the submission of the RFP.  38 Pg.71 Technical Specification for Server and Software should not become End of Sales for two years from the date of the submission of the RFP. Software should not become End of Sales for One year from the date of the submission of the RFP and End of Life or 7 years from the date of the submission of the RFP.  The proposed Hardware and Software generation should be less than one year from the date of the submission and the proposed Hardware and Software should not become End of Sales for two years from the date of the submission and the proposed Hardware should be less than one year from the date of the submission and the proposed Hardware and Software should not become End of Sales for two years from the date of the submission and the proposed Hardware should not become End of Sales for two years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 10 years from the date of the submission of the RFP and End of Life or 1					<u> </u>	
Type 2 (1x32) – Blade server submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.  The proposed Hardware and Software generation should be less than one year from the date of RFP submission and the proposed Hardware and Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for two years from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Softwa	37	Pa.70	Technical Specification for Server	End of Life	ine proposed Hardware and Software generation should be less than one year from the date of RFP submission and the proposed Hardware and Software should not become End of Sales for two years from the date of the	ine proposed Hardware should be aged less than one year from the date of RFP submission and the proposed Hardware and
Technical Specification for Server and the proposed Hardware and Software generation should be less than one year from the date of RFP submission and the proposed Hardware and Software should not become End of Sales for two years from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not become End of Sales for One year from the date of the Software should not	3,	1 9.70	Type 2 (1x32) – Blade server	Elia di Lile	submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.	the date of the submission of the RFP.
38 Pg.71   ecrinical specification for Server   End of Life   and the proposed Hardware and Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for One year from the date of the submission of the RFP and End of Life   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for One year from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of the   Software should not become End of Sales for two years from the date of					*	
Type 3 (1x8) – Blade server  Type 3 (1x8) – Blade server  Type 3 (1x8) – Blade server  Submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.	38	Pa.71		End of Life		
	00	. 9	Type 3 (1x8) – Blade server	End of Life	submission of the RFP and End of Life for 7 years from the date of the submission of the RFP.	the date of the submission of the RFP.
			l		•	

39	Pg.60	Technical Specification for Server Type 1 (2x32) – Rack Server	Manageability	Should support unified management suite that can monitor and manage all the servers from the Vendor deployed in our data center.	Should support unified management suite per site that can monitor and manage all the servers in our DC/DR (maximum of 40 physical servers). The Management software must be bundled with the supplied servers and must be from the same OEM as that of the Servers
40	Pg.63	Technical Specification for Server Type 2 (1x32) – Rack Server	Manageability	Should support unified management suite that can monitor and manage all the servers from the Vendor deployed in our data center.	Should support unified management suite per site that can monitor and manage all the servers in our DC/DR (maximum of 40 physical servers). The Management software must be bundled with the supplied servers and must be from the same OEM as that of the Servers
41	Pg.66	Technical Specification for Server Type 3 (1x8) – Rack server	Manageability	Should support unified management suite that can monitor and manage all the servers from the Vendor deployed in our data center.	Should support unified management suite per site that can monitor and manage all the servers in our DC/DR (maximum of 40 physical servers). The Management software must be bundled with the supplied servers and must be from the same OEM as that of the Servers
42	Pg.28	Conditions of Contract	Scope of Work	<ul> <li>a) Bidder to Supply and Install Servers, TOR Switches, SAN Switches and Racks, VMware ESXi, RedHat Enterprise Operating System, Windows Server Operating System, VMware vCloud Suite, at Bank's DC and DR Site.</li> </ul>	a) Bidder to Supply and Install Servers, TOR Switches, SAN Switches and Racks, VMware ESXI, vROPS, vCenter, SRM Replication, vRNI and all other VMware components supplied on this RFP in full without excluding any functionalities, RedHat Enterprise Operating System, Windows Server Operating System at Bank's DC and DR Site.
43	Pg.28	Conditions of Contract	Scope of Work	The bidder should arrange for an audithverification from the OEM for certifying the configuration of VMW are and Micro-segmentation parts. The OEM confirmation must be submitted to the Bank by way of email or writing must be submitted to the Bank for obtaining sign-off for the implementation.	The bidder should arrange for a certificate from VMware-TAM for usage of all VMware components and following of best practices during installation and configuration of VMW are including Micro-segmentation parts. The verification and certification must be performed every year. The report must be submitted for obtaining sign-off for the implementation.
44	Pg.30	Conditions of Contract	1.1 Scope of Work – (To be done by the Bidder):	Provide personalized workshops with OEM technical subject matter experts to assist with the onboarding of the technology solutions.	Provide personalized workshops with OEM/OEM Certified training partners' technical subject matter experts to assist with the onboarding of the technology solutions.
45	Pg.59	Technical Specification for Server Type 1 (2x32) – Rack Server	Ethernet Adapter	Minimum 2*10Gbps Ethernet ports per node have to be included. All ports need to be independent so as to provide high availability and     Minimum 4*1Gbps Ethernet ports per node have to be included. All ports need to be independent so as to provide high availability  The ethernet cards should support various kinds of bonding available	2 numbers of Dual port 10G (2*10Gbps) Multimode Fiber channnel ports have to be included. All ports need to be independent so as to provide high availability  The ethernet cards should support various kinds of bonding available
46	Pg.62	Technical Specification for Server Type 2 (1x32) – Rack Server	Ethernet Adapter	Minimum 2*10Gbps Ethernet ports per node have to be included. All ports need to be independent so as to provide high availability     and     Minimum 4*1Gbps Ethernet ports per node have to be included. All ports need to be independent so as to provide high availability  The ethernet cards should support various kinds of bonding available	2 numbers of Dual port 10G (2*10Gbps) Multimode Fiber channnel ports have to be included. All ports need to be independent so as to provide high availability  The ethernet cards should support various kinds of bonding available
47	Pg.64	Technical Specification for Server Type 3 (1x8) – Rack Server	Ethernet Adapter	Minimum 2*10Gbps Ethernet ports per node have to be included. All ports need to be independent so as to provide high availability and     Minimum 4*1Gbps Ethernet ports per node have to be included. All ports need to be independent so as to provide high availability  The ethernet cards should support various kinds of bonding available	2 numbers of Dual port 10G (2*10Gbps) Multimode Fiber channnel ports have to be included. All ports need to be independent so as to provide high availability  The ethernet cards should support various kinds of bonding available
48	Pg.28	Section III - Conditions of Contract	1. Scope of Work	<ul> <li>Upgradation of OS, Firmware, Patches and maintenance of hardware and software as on date to manage Bank's application performance. Bidder need to integrate with Bank's existing patch management tool for deployment of patches for the Hardware and Software supplied to the Bank.</li> </ul>	<ul> <li>-Upgradation of OS - Windows Server/ RHEL and Esxi as per the OEMs latest version releases, Firmware, Patches and maintenance of hardware and software as on date to manage Bank's application performance. Bidder need to integrate with Bank's existing patch management tool for deployment of patches for the Hardware and Software supplied to the Bank.</li> </ul>
49	Pg. 01	Last date for submission of bid	Instructions to bidders	Last Date for receipt of bids 11.01.2024 at 03:00 PM	Last Date for receipt of bids 17.01.2024 at 03:00 PM